

GREASE COMPATIBILITY CHART

Polyurea	I	I	I	I	I	I	I	I	I	
Lithium Complex	C	I	C	C	C	I	C	C		I
Lithium 12-Hydroxystearate	I	I	B	C	I	I	C		C	I
Lithium	I	I	C	C	I	I		C	C	I
Benton (Clay)	I	I	C	C	I		I	I	I	I
Calcium Complex	I	I	I	B		I	I	I	C	I
Calcium 12-Hydroxystearate	C	C	C		B	C	C	C	C	I
Calcium	I	I		C	I	C	C	B	C	I
Barium	I		I	C	I	I	I	I	I	I
Aluminum		I	I	C	I	I	I	I	C	I
Compatible										
Borderline										
Incompatible										
	Aluminum	Barium	Calcium	Calcium 12-Hydroxystearate	Calcium Complex	Benton (Clay)	Lithium	Lithium 12-Hydroxystearate	Lithium Complex	Polyurea